

Work Order ID 159644

159644

Monday, April 17, 2017 9:22:06 AM

Item ID:	6F9540V00231	Accept	*N900040100*	Setup	Start	*NS1*
Revision ID:	URF 16-692				Stop	*NS2*
Item Name:	AW169 Lower Cutter Installation Assembly					
Start Date:	4/20/2017	Start Qty:	1.00	Cust Item ID:		
Required Date:	4/23/2017	Req'd Qty:	1.00	Customer:		
Reference:	SCHEDULED/C					
Approvals:	Process Plan:	Date:	APR 17 2017	Tooling:	Date:	
	QC:	Date:		SPC (Y/N):	Date:	

Run Start ***NR1***
Stop ***NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
Draw Nbr	Revision Nbr								
D169-841	B Per concession 4000 000 61786 5/14/17								

100 DOCUMENT CONTROL
0.00
100
DC
Memo
Doc.Control -USB or Paperwork
Photocopy bluefile per PPP D169-841-015 chg002 and create labels per 6F9540V00231 CHG002

110 Pick Kit
0.00
110
Packaging
Memo
Packaging
F.A.I.R. COMPLETION
REQUIRED
MATERIAL CERTIFICATION
REQUIRED

120 QC- 100% Inspect kits for completeness
0.00
120
QC
Memo
Quality Control

- * Arc must be created by QA
- * Arc must contain concession Number.
- * All Parts must be identified w/ concession Number.
- * FAIR must be completed

DAS
28
9-89

JUN 02 2017

DAS
6
1-89

DAS
27
1-89

APR 17 2017

QC APPROVAL
DAS
28
9-89
JUN 02 2017

POSITIVE RECALL
EFFECTIVE 7/13/15
RELEASED 7/13/15

concession 4000 000 61786

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____	DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐	AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐									
Date : _____	Step #: _____	QTY Effective : _____		MRB (QSI042) Approval							
Description Work Order Deviation		Disposition		Completed By							
BS				Lead hand / Supervisor Approval Verification							
				QC / QA Coordinator Approval							
Root Cause <table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 50%; vertical-align: top;"> Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐ </td> <td style="width: 50%; vertical-align: top;"> No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐ </td> </tr> </table>		Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐	No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐	FAULT CATEGORY <table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 33%; vertical-align: top;"> Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐ </td> <td style="width: 33%; vertical-align: top;"> Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐ </td> <td style="width: 33%; vertical-align: top;"> Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Mislabeled ☐ Fit/Function ☐ Misaligned/off center ☐ </td> <td style="width: 33%; vertical-align: top;"> Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐ </td> </tr> </table>				Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐	Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐	Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Mislabeled ☐ Fit/Function ☐ Misaligned/off center ☐	Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐
Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐	No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐										
Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐	Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐	Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Mislabeled ☐ Fit/Function ☐ Misaligned/off center ☐	Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐								
OTHER : ☐											

Work Order ID 159644***159644***

Page 2

Monday, April 17, 2017 9:22:06 AM

Item ID: 6F9540V00231 Accept ***N900040100*** Setup Start ***NS1***
Revision ID: URF 16-692 Stop ***NS2***
Item Name: AW169 Lower Cutter Installation Assembly
Start Date: 4/20/2017 Start Qty: 1.00 ***1*** Cust Item ID:
Required Date: 4/24/2017 Req'd Qty: 1.00 ***1*** Customer:
Reference: SCHEDULED/C

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____ Run Start ***NR1***
QC: _____ Date: _____ SPC (Y/N): _____ Date: _____ Stop ***NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
--------------------------------	--------------------------	----------------------	---------	--------	--------------	---------------	---------------	------------------	----------------

130

130

Packaging

Packaging

Packaging

Memo

Identify and pack for shipping as per RPP 6F9540V00231

0.00

0.00

DAS
28
9-01

JUN 02 2017

140

140

QC

Quality Control

QC21- Final Inspection - Work Order Release

Memo

0.00

0.00

DAS
21
9-89

JUN 02 2017


JUN 02 2017
JUN 02 2017

DQA: _____ Date: _____

**WORK ORDER NON-CONFORMANCE / UPDATE**

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____	DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐	AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐			
Date : _____	Step #: _____	QTY Effective : _____		MRB (QSI042) Approval	
Description Work Order Deviation		Disposition		Completed By	
				Lead hand / Supervisor Approval Verification	
				QC / QA Coordinator Approval	
Root Cause Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐ No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐		FAULT CATEGORY Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐ Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐ Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Misabeled ☐ Fit/Function ☐ Misaligned/off center ☐ Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐			
OTHER : _____					

Picklist Print

Monday, April 17, 2017 9:22:06 AM

Page 1

Work Order ID: 159644

159644

Parent Item: 6F9540V00231

6F9540V00231

Parent Item Name: AW169 Lower Cutter Installation Assembly

Start Date: 4/20/2017

Required Date: 4/24/2017

Start Qty: 1.00

Required Qty: 1.00

Comments: IPP REV:A 13.11.13 NEW ISSUE DD VERF:JLM

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
D169-841-015		Manufactured	No				Each	0.0000		1		APR 20 2017	
D169-841-015 AW169 Lower Cutter													

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval Completed By Lead hand / Supervisor Approval Verification QC / QA Coordinator Approval		
Description Work Order Deviation				Disposition					

Root Cause				FAULT CATEGORY			
Environment ☐	No Re-verification ☐	Pressure/Forced ☐	Temperature/Cure ☐	Power Loss/Surge ☐	Positioned Wrong ☐		
Design ☐	Operator ☐	Bending ☐	Set-up ☐	Folio/Program ☐	Outside Dimensions ☐		
Doc/Data ☐	Offset/Setup ☐	Centre Not Concentric ☐	BOM/Route ☐	Grain ☐	Over/Under tolerance ☐		
Equip/Tooling ☐	Supplier ☐	Cracks ☐	Broken/Damage/Defect ☐	Weld ☐	Part Incorrect ☐		
Handling/Pre ☐	Training ☐	Crimp/Kink/Ripple/Wave ☐	Inspection Incomplete/Unqualified ☐	Wrong Stock Pulled ☐	Part Lost/Missing ☐		
Material ☐	Use for Testing ☐	Cuffs ☐	Contamination ☐	Out of Sequence ☐	Part Moved ☐		
Internal Transport ☐	Poor Information ☐	Crushing ☐	Countersink ☐	Off-set ☐	Drawing ☐		
Tribal Knowledge ☐	Rushing ☐	Heat Treat ☐	Cut Too Short ☐	Mislabeled ☐	Finish ☐		
LOA ☐	Product Improvement ☐	Wave/Twist in Tube ☐	Instructions Incomplete/Unclear ☐	Fit/Function ☐	Misread ☐		
Substation ☐	Process Improvement ☐	Marks/Chatter ☐	Drill Holes ☐	Misaligned/off center ☐	Turning Sequence ☐		
Past Expiry Date ☐	Manufacturing Process ☐	OTHER : _____					
Misidentified ☐	Past Due ☐						

LEONARDO HELICOPTERS		Supplier Concession				PAGE 1 of 2	PLANT Leonardo Helic. - Vergiate	
Supplier NC N.	AWC 006/01		Date	02.02.2017		AW Concession	400000061786	
P/N	6F9540V00231		Grade/Category	NC		Purchase Order	4801373666	
Part Description	PROTECTR, CCP ASSY LOWER		Batch Quantity	20,000		Defective Quantity	20,000	
AW NC	GUIDO BRUSCINO		A/C Type/Model	AW6				
Supplier	DART AEROSPACE LTD		Contract					
Defect FO01 - Wrong dimensions - * 02.02.2017 09:40:16 GUIDO BRUSCINO (40067) * see supplier document attached - B/N quantities and PO's listed in the Cause of Defect								
				Repetitiveness (same P/N - Defect Code)		NO ☒ YES ☐ Follow		
ENGINEERING Evaluation and Proposal								
Engineering Evaluations, including Specialist inputs: * 10.02.2017 18:01:48 MARCELLO STEFANELLI (9273) * The part is acceptable with the action proposed by the supplier applied.			Investigation Report n.			Compliance Report n.		
Classification of Deviation from Type Design i.a.w. EASA Part 21A.91 : Minore/B								
Defect effect				Limitations				
	Before Repair		After Repair					
Safety	☐	YES	☐	YES ☐ NO	☐ YES (to specificity) ☒ NO			
Life or Duration	☐	YES	☐	YES ☐ NO				
Strenght	☐	YES	☐	YES ☐ NO				
Performances	☐	YES	☐	YES ☐ NO				
Interchangeability	☐	YES	☐	YES ☐ NO				
Reliability	☐	YES	☐	YES ☐ NO				
Maintainability	☐	YES	☐	YES ☐ NO				
Installability	☒	YES	☐	YES ☒ NO				
Testability	☐	YES	☐	YES ☐ NO				
Only Appearance	☐	YES	☐	YES ☐ NO				
No Effect	☐	YES	☐	YES ☐ NO				
Repair Proposal: * 10.02.2017 18:01:48 MARCELLO STEFANELLI (9273) * See attached supplier document.					Decision ☐ Use rep. with spec.repair(not yet applied) ☒ Use repaired with known repair(yet applied) ☐ Use As Is ☐ Use repaired for tests only(see Limitations) ☐ Use As Is for tests only(see Limitations) ☐ Scrap			
Concession Classification		☐ MAJOR ☒ MINOR		Re-submit after Repair		☐ YES ☒ NO		
Mark part with Concession		☒ NO ☐ YES		Method :				
ATE	MARCELLO STEFANELLI		CPE			Date	10.02.2017	
Checks and tests to be performed								
Repair registration		with repair WO		☒ Number:				
Repair Evaluation:								
Final Decision								
S/N	Use As Is (UTi)	Use Repaired (RiL)	Scrap (SCA)	S/N	Use As Is (UTi)	Use Repaired (RiL)	Scrap (SCA)	
	☐	☐	☐		☐	☐	☐	
	☐	☐	☐		☐	☐	☐	
	☐	☐	☐		☐	☐	☐	
	☐	☐	☐		☐	☐	☐	
	☐	☐	☐		☐	☐	☐	
	☐	☐	☐		☐	☐	☐	
	☐	☐	☐		☐	☐	☐	
	☐	☐	☐		☐	☐	☐	
	☐	☐	☐		☐	☐	☐	
Not Serialized	Use As Is (Q.ty)	Use Repaired (Q.ty)	Scrap (Q.ty)					
Role	AW ATE	AW CPE	Inspection Clearance Repair	Quality	Customer	MoD or Authority Representative		
Signature	MARCELLO STEFANELLI							
Date	10.02.2017							

Manuf. Doc. N.	AWC 006	Date		AW Doc. N.		Purchase Order	4800671131 4800722284 4801147764 4801186922 4801218851 4801288960 4801373666
AW P/N	6F9540V00231	S/N / Batch Number	B109195 Qty. (1) B133355 Qty. (2) B134314 Qty. (1) B134315 Qty. (1) B134842 Qty. (1) B137492 Qty. (1) B137355 Qty. (2) B137816 Qty. (1) B137818 Qty. (1) B137817 Qty. (1) B140379 Qty. (3) B140381 Qty. (2) B147002 Qty. (2) B150786 Qty. (1)	Grade	A	AW Drawing Issue	B
Description	Lower Cutter Assy			Batch Qty	20	Defective Qty	20
Manufacturer	Dart Aerospace			Model	AW169		
Defect(s) Description							
Leonardo has informed Dart that there are interference issues installing the lower cable cutter D4842-041 onto the Leonardo interface bracket.							
				Department	Inspector	Signature	Date
				Quality	DAS 16 9-89		2017/02/01
Defect(s) Cause							
The Lower Cutter body has a dimension of 10.9 +0.25/-0.00 mm. This dimension was reported as part of the approved FAI and has been met with all delivered product.							
				Department	Inspector	Signature	Date
				Quality	DAS 16 9-89		2017/02/01
Corrective Action						Complete Before	
In order to mitigate the interference issue for Leonardo, Dart is proposing to remove sufficient material to make the overall installation dimension at 22.15 mm +0.05/-0.35.							
				Department	Inspector	Signature	Date
				Quality	DAS 16 9-89		2017/02/01

For "MANUFACTURER" SUPPLIERS ONLY
ENGINEERING evaluation and proposal

Engineering evaluation

Investigation report

n.....

Compliance report

n.....

Dart's position is that this change will not impact the structural substantiation presented in Report DA169-4 for the lower cutter body since this is not a section with the lowest margin. Therefore removing 0.3 mm max from each part will not impact the structural integrity of the lower cutter assembly. The dimension on the cutter body part D4842-3/-4 will be 10.80 +0.00/-0.200.

The dimension change of the two lower cutter body parts mating, plus the sealant, anodize and primer layers will be defined as a dimension of 22.15 +0.05/-0.35 mm on the assembled lower cutterbody and will be incorporated into the D4842 drawing for inspection.

	Defect effects		Limitations
	Before any repair	After any repair	
	☐ yes	☐ yes ☐ no	☐ yes (specify) ☒ no
Safety	☐ yes	☐ yes ☐ no	
Life	☐ yes	☐ yes ☐ no	
Strength	☐ yes	☐ yes ☐ no	
Performances	☐ yes	☐ yes ☐ no	
Interchangeability	☐ yes	☐ yes ☐ no	
Reliability	☐ yes	☐ yes ☐ no	
Maintainability	☐ yes	☐ yes ☐ no	
Installability	☒ yes	☐ yes ☒ no	
Testability	☐ yes	☐ yes ☐ no	
Only aspect	☐ yes	☐ yes ☐ no	
Repair Proposal None			Decision to use ☐ Use repaired with specific repair ☐ Use repaired with known repair ☐ Use as is ☐ Use repaired for tests (see Limitations) ☐ Use as is for tests (see Limitations) ☒ Scrap
Concession Classification		☒ Major ☐ Minor	Submit after repair
		☐ yes ☐ no	

Work Order ID 159644

159644

Monday, April 17, 2017 9:22:06 AM

Item ID:	6F9540V00231	Accept	*N900040100*	Setup	Start	*NS1*
Revision ID:	URF 16-692				Stop	*NS2*
Item Name:	AW169 Lower Cutter Installation Assembly					
Start Date:	4/20/2017	Start Qty:	1.00	*1*	Cust Item ID:	
Required Date:	4/24/2017	Req'd Qty:	1.00	*1*	Customer:	
Reference:	SCHEDULED/C					
Approvals:	Process Plan:	Date:	APR 17 2017	Tooling:	Date:	
	QC:	Date:		SPC (Y/N):	Date:	
					Run	Start *NR1*
					Stop	*NR2*

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
Draw Nbr	Revision Nbr								
D169-841	B	APR 13 2017							
100	DOCUMENT CONTROL	0.00							
100									
DC	Memo	0.00							
Doc.Control -USB or Paperwork	Photocopy bluefile per PPP D169-841-015 chg002 and create labels per 6F9540V00231 CHG002								
110	Pick Kit	0.00							
110									
Packaging	Memo	0.00							
Packaging									
120	QC4- 100% Inspect kits for completeness	0.00							
120									
QC	Memo	0.00							
Quality Control	1- All must be created by QA 2- All must contain concession numbers 3- All parts must be labeled w/ concession numbers 4- All must be completed								